

Declaration of conformity

According to EN ISO/IEC 17059-1:2010

Number	Manufacturer
2170/08/2020	TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic
Declaration subject	
Extended single-wall roof outlets TOPWET TWJ with integrated sleeve	
Type	<input type="checkbox"/> TWJ 50 ___ <input type="checkbox"/> TWJ 75 ___ <input type="checkbox"/> TWJ 90 ___ <input type="checkbox"/> TWJ 110 ___ <input type="checkbox"/> TWJ 125 ___ <input type="checkbox"/> TWJ 160 XL ___
The subject of declaration described above is in conformity with requirements	
EN 1253-2:2016 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap	

Additional information |

a. Basic technical parameters


1. Dimensions DN: DN50, DN70, DN90, DN100, DN125, DN150
2. Purpose: drainage of flat roofs, terraces and balconies
3. Material: outlet body – polyamide PA6, protective basket – polyamide PA6
4. Integrated connection sleeve
BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin, EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed
5. Colour: grey
6. Load category: H 1,5

b. LGA QualiTest GmbH, Dreikronenstrasse 31, 97082 Würzburg,
certification nr. 7313208z issued on 8. 5. 2014

c. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017
by URS United Registrar of Systems Czech s.r.o.,
PSN House, Argentinská 286/38, 170 00 Praha 7

d. Conformity assessment was executed by internal inspection within
the scope of established production management system




Tomáš Kunst | CEO

In Ostrovačice on 01. 03. 2021