

Declaration of conformity

According to EN ISO/IEC 17059-1:2010

Number	Manufacturer
2280/10/2017	TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic
Declaration subject	Balcony floor outlets TOPWET TWBP with integrated sleeve
Type	<input type="checkbox"/> TWBP 50 ___ S <input type="checkbox"/> TWBP 50 ___ V
The subject of declaration described above is in conformity with requirements	EN 1253-2:2015 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap

Additional information |

a. Basic technical parameters

1. Dimensions DN: DN50
2. Purpose: drainage of interiors
3. Integrated connection sleeve
BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin,
EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed
4. Colour: orange/white/black
5. Load category: K3 - 300 kg

b. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017

by URS United Registrar of Systems Czech s.r.o.,
PSN House, Argentinská 286/38, 170 00 Praha 7

c. Conformity assessment was executed by internal inspection within the scope of established production management system




Jaroslav Černý | CEO

In Ostrovačice on 01. 10. 2017