

Declaration of conformity

According to EN ISO/IEC 17059-1:2010

| | |
|---|---|
| Number | Manufacturer |
| 2150/08/2020 | TOPWET s.r.o., náměstí Viléma Mrštíka 62, 664 81 Ostrovačice, Czech Republic |
| Declaration subject | Refurbishment outlets for roofs without heat insulation TOPWET TW SAN BZ with integrated sleeve |
| Type | <input type="checkbox"/> TW SAN BZ 50 ___ <input type="checkbox"/> TW SAN BZ 75 ___ <input type="checkbox"/> TW SAN BZ 90 ___ <input type="checkbox"/> TW SAN BZ 100 ___ <input type="checkbox"/> TW SAN BZ 110 ___ <input type="checkbox"/> TW SAN BZ 125 ___ |
| The subject of declaration described above is in conformity with requirements | EN 1253-2:2016 - Gullies for buildings - Part 2: Roof drains and floor gullies without trap |

Additional information |

a. Basic technical parameters


1. Dimensions DN: DN50, DN70, DN90, DN100, DN125
2. Purpose: for drainage of flat roofs with connection to the original outlet or pipe without a neck
3. Material: outlet body – polyamide PA6, protective basket – polyamide PA6, refurbishment seal – EPDM
4. Integrated connection sleeve
BIT – modified bitumen strip SBS, PVC – mPVC based foil, TPO – thermoplastic (flexible) polyolefin,
EPDM – synthetic rubber foil, PE – polyethylene foil, STE – a sleeve for connecting of waterproofing screed
5. Colour: grey / white
6. Load category: H 1,5

b. Certification ISO 9001:2015 nr. 50074/A/0001/UK/Cz issued on 18. 7. 2017

by URS United Registrar of Systems Czech s.r.o.,
PSN House, Argentinská 286/38, 170 00 Praha 7

c. Conformity assessment was executed by internal inspection within the scope of established production management system




Tomáš Kunst | CEO

In Ostrovačice on 01. 03. 2021